

CHARM

UNIOY | 31901

UNIOY



Concept


Inspired by the enchanting morning light at dawn. The Charm series mimics the charming effect of sunrise piercing through clouds and mist with soft, luminous tones and refined details, infusing the space with hope, brightness, and elegant charm to start the day beautifully.














CHARM


l:1000 × w:333.3




31901-01



31901-11




31901-02



31901-12



31901-03




31901-13


Specification

Tufted Construction	Multi-level Loop
Fiber	PNMIX®
Dye Method	Solution Dyed
Gauge	1/12
Tufted Weight (g/m²)	530 ± 5%
Pile Height (mm)	4.0 ± 0.5
Total Thickness (mm)	6.0 ± 0.5
Standard Backing	TGDURA Bac
Antibacterial Treatment	PureGuard®
Stain-resistant Treatment	CleanShield™

Recommended Installation Methods



Ashlar



Herringbone

Anti-fouling	Anti-static	Environmental	Passed various tests	Fashion colors	100%BCF Yarn
Reduced flammability	Isolation acoustic	Colorfast	Chair roulettes	No edge ravel	Wear resistance
Soil resistance	Wear warranties	Dimensional stability	Long life-span	Easy to transport	Non-moid



UNIQUE,
SO JOYFUL