

TERRA LIVING



UNIOY | 21901 · 55901

UNIOY



Concept

The TERRA LIVING series is a tribute to the serene vitality and quiet breath of the natural world.

This collection draws inspiration from the moss-kissed stones and serene, hidden paths of ancient woodlands. We capture not just the visual texture of damp earth, weathered stone, and lush moss, but also the feeling of tranquility and rejuvenation they impart.

TERRA LIVING brings this peaceful yet lively energy indoors. It transforms floors into living canvases that promote calmness, focus, and a profound connection to nature within modern working environments, offering a ground that is both soothing and invigorating to the senses.



PATH

Concept

Inspired by the serene beauty discovered in the depths of nature. The PATH series mimics the quiet and mysterious visual sensation of woodlands and stone paths through subtle textures, instilling a contemplative and tranquil atmosphere into modern office spaces, helping users connect with the serene rhythm of nature.

















21901-B02







21901-B03/C03/D03/E03







VERDANT

Concept

Captures the vibrant vitality of moss clinging to stone walls and soil after rain. The VERDANT series introduces the lush energy of the natural world indoors through lively green tones and organic textures, creating a fresh, soothing, and breathable floor space.

























55901-02/07



55901-01/02/07/08





PATH

l:250 × w:1000



21901-A01




21901-B01



21901-C01




21901-A02




21901-B02




21901-C02



21901-D02




21901-E02




21901-A03




21901-B03



21901-C03




21901-D03




21901-E03

VERDANT


l:500 × w:500




55901-01




55901-02




55901-03




55901-04




55901-07




55901-08




55901-09



55901-10



55901-11



55901-12

Specification

Tufted Construction

Dye Method

Gauge

Tufted Weight (g/m²)

Pile Height (mm)

Total Thickness (mm)

Standard Backing

Antibacterial Treatment

Stain-resistant Treatment

Tufted Textured Loop

Solution Dyed

1/10

750 ± 5%

6.0 ± 0.5

10.0 ± 0.5

TGFLEX® Bac

PureGuard®


CleanShield™

Recommended Installation Methods


PATH



Ashlar



Herringbone




Basketweave

VERDANT



Monolithic



Quarter-turn



Anti-fouling



Anti-static



Environmental



Passed various tests



Fashion colors



100%BCF Yarn



Reduced flammability



Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil resistance



Wear warranties



Dimensional stability



Long life-span



Easy to transport



Non-moid





UNIQUE,
SO JOYFUL